海外バイヤーを捉えるにはコストがかかる

- 1・英語のホームページを制作する日本語のホームページ制作料金よりも高くなる
 - ・ 英語翻訳料金が高い
 - 英語が解るウエブデザイナーのページは高い
- 2・その他の方法はいずれもコスト高
 - 海外市場視察団体旅行
 - ・ 海外の展示会に出展
 - ・ 市場調査を現地のコンサルテイング会社に依頼する
 - ・ 社員を何回か海外出張させて調査する

よくある問題と解決策の提案

- 会社にホームページがない
- ・ 会社に英文ホームページの作成が難しい
- 英語でのビジネスが難しい
- ・ 英語で対応が難しい
- ・ 貿易実務などに十分な経験や知識が無い
- コストを余りかけらえない

これらの課題を解決する中小企業向け海外支援サービス

海外バイヤー向けポータルサイトの制作と運用サポート

- ・ 効率的でコスト安な海外市場開拓方法です
- ・ 貴社を海外市場に英語で紹介
- 貴社の製品を海外市場に英語で紹介
- 海外からの英語の問い合わせと英語による返答を翻訳
- ・ 取引相手の交渉支援
- 貿易手続等の支援
- ・ ヒットされやすいキーワードを選びながらページ作成しポータルサイトに記載

驚きの価格で支援いたします

詳しくは当事務所まで



Exporting Made-in-Japan (/)

All items are made in Japan, high quality!

Find (/en/) /

Exporting Firms (/en/firms-list.html) /

Sanyo Seiki Co.,Ltd

Sanyo Seiki Co.,Ltd (/en/firms-list/29-sanyo-seiki.html)

Hits: 108

The company



Company Name: Sanyo Seiki Co.,Ltd

Founded: August, 1, 1961

Address:

4-30, 5-chome, Shozoku-cho, IwakuniCity Yamaguchi Prefecture 740-0001, Japan

Phone: +81-827-21-5261

Business Domain:

1. Textile Machine Parts	
2. Textile Machine Equipr	nent
3. Ultra Fine Hole Process	S Nozzles
4. Hard Chrome Plating	
5. Static Mixer	
Product Names:	
Fine Hole Machining and Dr work-sanyo-seiki-co-,ltd.ht	rilling Work (/en/products-list/30-fine-hole-machining-and-drilling- ml)
Static Mixer (/en/products-	list/31-the-static-mixer-sanyo-seiki-co-,ltd.html)
Contact Person:	
Mr Kenji Abe (Vice Presider	nt)
Contact Form	
Fields marked with * are required Subject *	
Request Item *	
Product Brochure	
About Product	
Price Quotation	
Delivery Time	
Sample availability	
Meeting request	
Others	
Corporate Name *	
Established *	
Capital (US\$) *	
Is (T)	

Sales of Last Year (US\$) *		
Number of Employees *		
Compay's overview *		
[Business Outline or Domain Area]		
[Related Organizations]		·
Address *		
* P.O. BOX number is not acceptable (building name)	le. Please fill out complete address includes street name, block number	
Landline Phone Number *		
Facsimile Number		
Homepage URL *		
http://		
Do you have an agent in Japa	n? *	
Yes		
○ No		
Business Type *		
Please select one ▼		

Bank References (Bank Name Only) *

Title of Your Position *
e.g. President, CEO, Director, Mana
Contacting Person's Name *
Email *
Message

Exclusions and Limitations

The information on this web site is provided on an "as is" basis. To the fullest extent permitted by law, this NPO:


-excludes all representations and warranties relating to this website and its contents or which is or may be provided by any affiliates or any other third party, including in relation to any inaccuracies or omissions in this website and/or the NPO's literature; and

-excludes all liability for damages arising out of or in connection with your use of this website. This includes, without limitation, direct loss, loss of business or profits (whether or not the loss of such profits was foreseeable, arose in the normal course of things or you have advised this NPO of the possibility of such potential loss), damage caused to your computer, computer software, systems and programs and the data thereon or any other direct or indirect, consequential and incidental damages.

This NPO does not however exclude liability for death or personal injury caused by its negligence. The above exclusions and limitations apply only to the extent permitted by law. None of your statutory rights as a consumer are affected.

Agree *

Agreed



About Us (/en/about-us.html) Privacy Policy (/en/privacy-policy.html) Disclaimer (/en/disclaimer.html) Site Map (/en/site-map.html) 日本語サイト (/ja)

The Static Mixer: without drive unit, agitator (stirrer) and tank (/en/products-list/31-the-static-mixer-without-drive-unit-agitator-stirrer-and-tank.html)

Hits: 170

Product: The Static Mixer







Appealing Points:

Sanyo Static Mixers can cover very wide range as follows;

- For very small diameter (2-15mm) mixing such as adhesive agent and mixing / kneading chemicals
- For very large diameter (200-400mm) mixing such as heat exchanger and geothermal electric power generation

The mixer with no drive unit, static mixer is the line mixer without agitator (stirrer) and tank.

The liquid entering the mixer is stirred and mixed in sequence by the elements which are left and right direction in the twisted 180° the rectangular plate, the element has led to alternately. The liquid is effectively mixed by the action of the split-shift-inverted.

Descriptions:

- Mixing: Better reproducibility and better mixing compared to conventional batch system and energy conservation.
- **Uniformity:** The Static Mixer improve the uniformity of the molten material in the molding the resin:
- Heat exchanger: Heat exchanger efficiency is improved significantly (3-5 times) in converting

action of the flow attributable to The Static Mixer

• **Gas inhalation:** In The Static Mixer, dissolution efficiency of gas is improved extremely and it can be used for aeration process and carbonic acid absorption for beer production etc..

Specifications:

```
Φ2 \sim Φ400 (Material SUS)
L / D = 1.0 ~ 2.0
```

Sample availability:

None

Delivery Lead Time:

From 45days to 60days ex-works after our receipt of firm order

Target customers:

gas mixture, water treatment, mixing two liquid to make adhesive, the cooling, heating and mixing in the food industry

pulp and paper industry

synthetic fiber industry, etc..

Payment methods & conditions:

by Wire transfer (T/T) or letters of credit (L/C)

Contact Firm:

Name: Sanyo Seiki Co.,Ltd. (/en/firms-list/29-sanyo-seiki-co-,ltd.html)

Address:

4-30, 5-chome, Shozoku-cho, Iwakuni City, Yamaguchi Prefecture 740-0001, Japan

Phone#: +81-827-21-5261

Contact Form (for those who are interested in this product)

Fields marked with * are required

Subject *

Request Item *		
Product Brochure		
About Product		
☐ Price Quotation		
Delivery Time		
Sample availability		
■ Meeting request		
Others		
Corporate Name *		
Established *		
	Į	
Capital (US\$) *		
Sales of Last Year (US\$) *		
Number of Employees *		
Compay's overview *		
[Business Outline or Domain Area]		
[Related Organizations]		
		•
Address *		
* P.O. BOX number is not acceptabl (building name)	e. Please fill out complete address includes street name, block number	
(Junioning Harmo)		
		_

Facsimile Number		
Homepage URL *		
http://		
Do you have an agent	t in Japan? *	
Yes		
○ No		
Business Type *		
Please select one	•	
Title of Your Position	*	
e.g. President, CEO, Direc	tor, Mana	
Contacting Person's N	lame *	
Email *		
Message	,	

Exclusions and Limitations

The information on this web site is provided on an "as is" basis. To the fullest extent permitted by law, this NPO:

-excludes all representations and warranties relating to this website and its contents or which is or may be provided by any affiliates or any other third party, including in relation to any inaccuracies or omissions in this website and/or the NPO's literature; and

-excludes all liability for damages arising out of or in connection with your use of this website. This includes, without limitation, direct loss, loss of business or profits (whether or not the loss of such profits was foreseeable, arose in the normal course of things or you have advised this NPO of the possibility of such potential loss), damage caused to your computer, computer software, systems and programs and the data thereon or any other direct or indirect, consequential and incidental damages.

This NPO does not however exclude liability for death or personal injury caused by its negligence. The above exclusions and limitations apply only to the extent permitted by law. None of your statutory rights as a consumer are affected.

Agree *

Agreed



(http://japanexporting.biz/en/products-list/31-the-static-mixer-

without-drive-unit-agitator-stirrer-and-tank.html#Reload image challenge)

Validation code:

,				
Send	Reset			
Cond	1,0300			